




High Temperature BEARINGS CO., LTD



105 mm x 160 mm x 26 mm NSK 6021DDU
deep groove ball bearings

Bearing No. 6021DDU

6021DDU Bearing 2D drawings and 3D CAD models

Size	105x160x26 mm
Bore Diameter	105 mm
Outer Diameter	160 mm
Width	26 mm
d	105 mm
D	160 mm
B	26 mm
C	26 mm
r min.	2 mm
da min.	114 mm
da max	120 mm
Da max.	151 mm
ra max.	2 mm
Weight	1,58 Kg
Basic dynamic load rating (C)	72,5 kN
Basic static load rating (C0)	66 kN
(Grease) Lubrication Speed	2 400 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.5
EAN	0029176519994
Product Group	B00308
Enclosure	2 Seals



High Temperature BEARINGS CO., LTD

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	105MM Bore; 160MM Outside Diameter; 26MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6021DDU
Weight / LBS	3.4839
Bore	4.134 Inch 105 Millimeter
Outside Diameter	6.299 Inch 160 Millimeter
Outer Race Width	1.024 Inch 26 Millimeter
Inner Race Width	0 Inch 0 Millimeter
SRI	8.63
hidYobi	6021DDU



High Temperature BEARINGS CO., LTD

LangID	1
D_	160
SREX	0.03
B_	26
da min	114
hidTable	ecat_NSRDGB
SRE	8.63
mass	1.58
GRS rpm	2400
ra	2
SRIX	0.03
D_a	151
SRIN	-0.03
C0	66
fo	15.8
SREN	-0.03
DE_	151.169
Prod_Type3	DGBB_SR_DD
DA_	16.669
bomp	0
Z_	15
yobi	6021DDU
C_conv	72500
ALPHA_	0
SDM_	134.5
r	2
KBRG	6161
SBRG	10
DI_	117.831